



ISIS3292.ST25.txt
SEQUENCE LISTING

<110> Nielsen, Peter E.
<120> Peptide Nucleic Acids Having Antibacterial Activity
<130> ISIS-3292
<140> 09/486,623
<141> 2000-07-06
<150> 08/932,140
<151> 1997-09-16
<160> 30
<170> PatentIn version 3.2
<210> 1
<211> 14
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 1
tgaccatgat tacg 14

<210> 2
<211> 17
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 2
tacgtgtttc ctgtgtg 17

<210> 3
<211> 17
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 3
gagtattcaa catttcc 17

<210> 4
<211> 17
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic construct
<400> 4
attgtcttcc tttttca 17

<210> 5
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-[acetyl(2-aminoethyl)] glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 5
ggtcatagct gtttc

15

<210> 6
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 6
tactcatact ctcc

15

<210> 7
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 7
gaatactcat actct

15

<210> 8
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> N-[acetyl(2-aminoethyl)]-C-lysine-glycine

<400> 8
 acgccacatc ttcgc

15

<210> 9
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (2)..(4)
 <223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (5)..(6)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (7)..(7)
 <223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> (O-2-aminoethyl-O'acetyl-ethyleneglycol)

<220>
 <221> misc_feature
 <222> (9)..(14)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> N-[acetyl (2-aminoethyl)] -C-lysine-glycine

<400> 9
 tnnnttnnct tccct

15

<210> 10
 <211> 15
 <212> DNA
 <213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (2)..(4)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (5)..(6)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (7)..(7)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(8)
<223> (0-2-aminoethyl-O'acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<400> 10
ntttntnttc ctttc

15

<210> 11
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 11
catactcttt ctctt

15

<210> 12
<211> 25
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

```

<220>
<221> misc_feature
<222> (1)..(2)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (3)..(3)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (4)..(4)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (5)..(7)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(10)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (11)..(11)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (12)..(12)
<223> (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (13)..(24)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (25)..(25)
<223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 12
ttntnnnttt ntntctttcc gtctt
25

<210> 13
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N-acetyl (2-aminoethyl) glycine

<220>

```

```

<221> misc_feature
<222> (3)..(3)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (4)..(4)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (5)..(6)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (7)..(7)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(8)
<223> (O-2-aminioethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 13
ntntnntntc ctctc

```

15

```

<210> 14
<211> 12
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Synthetic construct

```

```

<220>
<221> misc_feature
<222> (1)..(11)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (12)..(12)
<223> N-[acetyl (2-aminioethyl)]-C-lysine-glycine

```

```

<400> 14
cccctattgt cc

```

12

```

<210> 15
<211> 12
<212> DNA
<213> Artificial Sequence

```

```

<220>
<223> Synthetic construct

```

<220>
 <221> misc_feature
 <222> (1)..(11)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 15
 ttctgccttt ct

12

<210> 16
 <211> 8
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(7)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 16
 ctcgaggt

8

<210> 17
 <211> 5
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(4)
 <223> N-acetyl (2-aminoethyl) glycine

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N- [acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 17
 taaac

5

<210> 18
 <211> 10
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>

<221> misc_feature
<222> (1)..(9)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (10)..(10)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 18
aaggaggtga

10

<210> 19
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(7)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(8)
<223> (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 19
tctctttntt tctct

15

<210> 20
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(1)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N-pseudo isocytosine-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (3)..(3)
<223> N-acetyl (2-aminoethyl) glycine


```

<220>
<221> misc_feature
<222> (4)..(7)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (8)..(8)
<223> (O-2-aminoethyl-O'-acetyl-ethyleneglycol)

<220>
<221> misc_feature
<222> (9)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 20
tntntttntt tctct 15

<210> 21
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 21
aggtgtcagc gaacg 15

<210> 22
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 22
ctttgtcgat actgg 15

```

<210> 23
 <211> 14
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(14)
 <223> N-acetyl (2-aminoethyl) glycine

<400> 23
 gtcataagctg ttcc

14

<210> 24
 <211> 11
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(11)
 <223> N-acetyl (2-aminoethyl) glycine

<400> 24
 catagctgtt c

11

<210> 25
 <211> 10
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(10)
 <223> N-acetyl (2-aminoethyl) glycine

<400> 25
 tagctgtttc

10

<210> 26
 <211> 8
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Synthetic construct

<220>
 <221> misc_feature
 <222> (1)..(8)
 <223> N-acetyl (2-aminoethyl) glycine

<400> 26
 gctgtttc

8

```

<210> 27
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<220>
<221> misc_feature
<222> (1)..(14)
<223> N-acetyl (2-aminoethyl) glycine

<220>
<221> misc_feature
<222> (15)..(15)
<223> N-[acetyl (2-aminoethyl)]-C-lysine-glycine

<400> 27
acattcacca ccctg
15

<210> 28
<211> 27
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<400> 28
aaaggaagag uaugaguauu caacauu
27

<210> 29
<211> 27
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic construct

<400> 29
aaaggaagac aaugaguauu caacauu
27

<210> 30
<211> 27
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic constuct

<400> 30
aaaggaggcc uaugucgauu caacauu
27

```